

# Low VOC Universal Colorant

#### **BENEFITS**

Easy pour-over technology to standard universal colorants

Outstanding stability with minimal settling. Requires only hand shaking prior to use. No machine shaking required.

Wide range of pigment choices to meet your coating systems requirements for durability, chemical resistance, and color space

## **USES AND MARKETS**

- Interior and Exterior Latex Paints
- Caulks & Sealants
- Grout
- Cementitious Coatings
- Adhesives
- Inks
- Spandrel Glass Coatings

### **CHEMISTRY**

**Universal Colorant** 

**EPS Materials** 1400 N. State Street Marengo, IL 60152

Email: info@epscca.com

www.epscca.com Phone: 1-800-654-4242 Fax: 1-815-568-4145

# NovoColor® II

Universal Compatibility and Expanded Color Space



NovoColor® II represents the state-of-theart for universal pigment dispersions manufactured by Color Corporation of America. NovoColor® II is specifically engineered for use in waterborne architectural and solvent-borne industrial coatings systems and will help meet low VOC requirements for a wide variety of coating systems.

Uses POS colorant
Market Architectural, In-Plant
Type Universal
Dosing Volumetric

## **Key Features**

- ✓ APE and formaldehyde free
- ✓ Non-Resinous
- ✓ Ethylene and propylene glycol free
- Minimal impact on critical paint and coatings properties
- ✓ Broad compatibility with both latex and alkyd products

## **Specifications**

Tint Strength 99% - 101%

Color DE < 1.0 by FMCII

## **Packaging**







Gallon

Quart

